
COUNTY OF SAN DIEGO, CA MAJOR USE PERMIT PROJECT NO. PDS2017-MUP-17-019 ENVIRONMENTAL LOG NO. PDS2017-ER-93-19-006ZZC




#### NOTES

- 1. GROSS/NET AREA: 40.0 ACRES
- 2. MUP BOUNDARY AREA: 40.0 ACRES
- 3. GENERAL PLAN REGIONAL CATEGORY: VILLAGE/RURAL, EAST OTAY MESA SPECIFIC PLAN, MIXED INDUSTRIAL
- 4. TOPOGRAPHIC SOURCE: STEVENS CRESTO ENGINEERING INC., TRACT 5405-1 DESIGN 10/2017, 2ND DESIGN SUBMITTAL.
- 5. ASSOCIATED REQUESTS: NONE
- 6. WATER DISTRICT: OTAY WATER DISTRICT
- 7. SEWER DISTRICT: SAN DIEGO COUNTY SANITATION DISTRICT
- 8. GAS & ELECTRIC: SAN DIEGO GAS & ELECTRIC COMPANY
- 9. FIRE DISTRICT: SAN DIEGO COUNTY RURAL FIRE DISTRICT
- 10. THE APPROVAL OF THIS MAJOR USE PERMIT (MUP) AUTHORIZES THE FOLLOWING: USE, OPERATION AND MAINTENANCE AN EMERGENCY VEHICLE OPERATION COURSE. INCLUDING APPURTENANT AND ANCILLARY USES AS WELL AS INTERIM USES AS IDENTIFIED ON THE PLAN.
- 11. THE EXACT LOCATION AND DIMENSIONS OF ALL BUILDINGS, STRUCTURES, EQUIPMENT, PURSUIT TRACK, VEHICLE CONTROL, STREET GRID, OBSERVATION TOWER, SKILLS PAD, OFF-HIGHWAY VEHICLE SKILLS COURSE ARE TYPICAL AND EXACT DIMENSIONS AND LOCATIONS MAY VARY. A MINOR DEVIATION WILL BE REQUIRED IF SIZE AND LOCATION DO NOT SUBSTANTIALLY MATCH WHAT IS INDICATED IN THESE TYPICAL LAYOUTS. ALTHOUGH THEY SHALL SUBSTANTIALLY CONFORM TO WHAT IS INDICATED ON THE PLANS TO REFLECT THE APPROXIMATE BULK, SCALE AND SIZE.
- 12. LIGHTING FOR MAINTENANCE AND SECURITY PURPOSES ONLY. SHIELDED LIGHTING LOCATED AT ENTRANCE GATES, PARKING LOT AND BUILDING ENTRANCES SHALL CONFORM TO COUNTY OF SAN DIEGO OUTDOOR LIGHTING REQUIREMENTS AND THE COUNTY LIGHT POLLUTION CODE. LIGHTING SHALL BE ARCHITECTURAL AND SHIELD AND NOT OVERFLOW FROM AREA. BUILDING ILLUMINATION AND ARCHITECTURE LIGHTING SHALL BE INDIRECT IN CHARACTER (NO LIGHT SOURCE VISIBLE). PARKING LOT LIGHTING SHALL COMPLY WITH SAN DIEGO COUNTY ZONING ORDINANCE #6792. ALL OUTDOOR LIGHTING WILL COMPLY WITH SAN DIEGO COUNTY ZONING ORDINANCE SECTION #6300.
- 13. PHASING PROJECT MAY BE IMPLEMENTED IN SEVERAL PHASES WITHOUT REGARD TO SEQUENCE. THE PROPOSED PERIMETER FENCING, TRACK AREAS AND THE LANDSCAPING LOCATED IN THE 20' LANDSCAPE SETBACK WILL BE INSTALLED WITH THE FIRST PHASE OF DEVELOPMENT. ALL TEMPORARY STRUCTURES WILL BE LANDSCAPED PER THE REQUIREMENTS OUTLINED IN EOMSP.
- 14. ALL DISTURBED AREAS WOULD BE COVERED WITH GRAVEL, BINDING AGENT, OR NON-IRRIGATED HYDROSEED MIX FOR DUST SUPPRESSION. THE OFF-HIGHWAY VEHICLE SKILLS COURSE WILL BE WATERED (SPRINKLERED) FOR DUST SUPPRESSION PURPOSES. OFF-HIGHWAY VEHICLE SKILLS COURSE WILL BE WATERED PRIOR TO USAGE AND/OR WHEN WIND CONDITIONS ARE OVER 25 MPH
- 15. SEE PRELIMINARY GRADING PLAN FOR PROPOSED GRADING.
- 16. PROPOSED FLOOR AREA RATIO: 0.036 (62,240 S.F./40 AC.)
- 17. PROPOSED BUILDING COVERAGE: 37,240 S.F.

USEABLE OPEN SPACE.

- 18. THE PROJECT WILL COMPLY WITH ALL POLICIES, REGULATIONS AND STANDARDS OUTLINED IN THE EOMSP.
- 19. ALL PARKING AREAS WILL BE SCREENED FROM PUBLIC VIEW AND LANDSCAPED PER THE REQUIREMENTS OF THE COUNTY'S PARKING DESIGN MANUAL AND THE EOMSP.
- 20. EROSION CONTROL LANDSCAPING SHALL BE PROVIDED FOR ALL MANUFACTURED SLOPES OVER 3'IN VERTICAL HEIGHT PER THE COUNTY'S GRADING ORDINANCE AND CONTAINER SIZES AND ON-COURSE SPACING PER THE REQUIREMENTS OF THE EAST OTAY MESA SPECIFIC PLAN. THIS INCLUDES TEMPORARY SLOPES AND ALL FINAL SLOPES.
- 21. FINAL LANDSCAPE PLANS SHALL SHOW ALL PROPOSED RETAINING WALLS, INCLUDING OVERALL HEIGHTS, DISTANCE FROM LANDSCAPE SETBACKS, AND MATCH THE PROJECT GRADING PLANS.
- 22. FINAL LANDSCAPE PLANS WILL SHOW OUTDOOR PASSIVE OR RECREATIONAL AREAS FOR THE PROJECT AND IDENTIFY A MINIMUM OF 200 SQ. FT. OF SHADED,
- 23. ALL PROPOSED PLANT MATERIAL WILL BE DROUGHT TOLERANT, NON-INVASIVE, AND FIRE-WISE AND IS CAPABLE OF SURVIVING ON THEIR OWN AFTER PLANT
- 24. TREE PLANTING IN THE REQUIRED SETBACKS WILL BE COORDINATED WITH PLANTING IN THE PUBLIC RIGHT-OF-WAY AND CONSISTENT WITH THE PUBLIC RIGHT-OF-WAY STREETSCAPES.
- 25. ALL PARKING AREAS WITH TEN PARKING SPACES OR MORE, WILL INCLUDE A MINIMUM OF ONE PLANTED ISLAND (5'X18') FOR EVERY TEN SPACES. PLANTING WILL INCLUDE ONE 24" BOXED CANOPY TREE AND 5-GALLON SHRUBS CAPABLE OF ACHIEVING A MINIMUM 60% COVERAGE WITHIN TWO GROWING SEASONS PER ISLAND.
- 26. ALL LANDSCAPING WILL BE COMPLIANT WITH THE PROJECTS'FIRE PROTECTION
- 27. PAVING THICKNESS UNDERCUT AND R&R TO BE DETERMINED PER SOILS REPORT.
- 28. AIR CONDITIONING UNIT FOR ADMIN/TRAINING BUILDING SHALL BE LOCATED ON THE ROOF AND FULLY SCREEENED.
- 29. PROJECT SIGNAGE SHALL BE CONFORMANCE WITH SAN DIEGO COUNTY ZONING ORDINANCE SECTION #6250.
- 30. THE PROJECT WILL PROVIDE 8,000 SQ. FT. OF USABLE OPEN SPACE PURSUANT TO THE EOMSP. THE LOCATION, SCREENING. AND DESIGN WILL COMPLY WITH THE SITE PLANNING STANDARDS SET FORTH IN TABLE 3.2-1 OF THE EOMSP.
- 31. THE PROJECT WILL PROVIDE 200 SQ. FT. OF COVERED OUTDOOR PASSIVE OR RECREATIONAL AREA PURSUANT TO THE EOMSP.
- 32. SAFETY AND CRASH CONTROL MEASURES, MAY INCLUDE BUT NOT LIMITED TO EARTHEN BERM, TYRE BARRIERS, PLASTIC SAFETY BARRIER, SAFER BARRIER. THE TYPE AND LOCATION OF THESE MEASURES WILL BE APPROVED BY THE COUNTY OF SAN DIEGO PLANNING AND DEVELOPMENT SERVICES PRIOR TO BUILDING PERMIT ISSUANCE.
- 33. ALL PARKING AREAS AND USEABLE OPEN SPACE WILL BE SCREENED FROM PUBLIC VIEW AND LANDSCAPED PER THE REQUIREMENTS OF THE COUNTY'S PARKING DESIGN MANUAL AND THE EOMSP.
- 34. PROJECT ENTRY GATES SHALL BE DESIGNED AND CONSTRUCTED TO MEET COUNTY OF SAN DIEGO DESIGN STANDARDS DS-17 TO THE SATISFACTION OF THE COUNTY FIRE AUTHORITY.
- 35. ROOFTOPS OF THE ADMIN AND GARAGE BUILDINGS MAY BE USED FOR FUTURE SOLAR EQUIPMENT INSTALLATIONS.
- 36. SITE ACCESS GATE(S) TO BE EQUIPPED WITH FIRE DEPARTMENT APPROVED STROBE LIGHT ACTIVATION AND KNOX KEY-OPERATED SWITCH.



DADKING CHMMADY TARIE.

PARKING SUMMAK	IADLE.			
USE	RATIO	REQUIRED	PROVIDED	REMARKS
STAFF/ADMIN. & TRAINING BLDG.	1 SPACE PER	20	20	20 STAFF
STUDENT/TRAINEE	3 SPACES PER 1,000 SF/GFA	187	150 *	62,240 SF/GFA
	TOTAL	207	170	INCL. (6 ADA)

# **BICYCLE PARKING:**

STUDENT/TRAINEE	0.1 SPACE PER	18	20	180 STUDENTS

# **BUILDING SUMMARY TABLE:**

DOIEDING COMMINITY IN IDEE.				
TYPE	STORY	MAX. HT.	COVERAGE	SF
ADMIN & TRAINING BLDG	2	60'	200'x150'	50,000
COVERED OBSERVATION AREA	1	40'	50'x40'	2,000
PARKING GARAGE	1	40'	110'x44'	4,840
PARKING GARAGE W/ROOFTOP		40'	110'x44'	
OBSERVATION TOWER	1	40	10'x10'	4,940
RESTROOM	1	20'	39'x12'	460
		_	TOTAL GFA:	62,240

\* 150 SPACES PROVIDED, BASED ON 50,000 SF ADMIN, & TRAINING BUILDING

#### ASSESSOR PARCEL NUMBER 648-070-03 (PORTION)

#### LEGAL DESCRIPTION

PORTION OF THE NORTHEAST QUARTER OF SECTION 31 TOGETHER WITH PORTION OF THE SOUTHWEST QUARTER OF THE NORTHWEST QUARTER OF SECTION 32, BOTH IN TOWNSHIP 18 SOUTH, RANGE 1 EAST, SAN BERNARDINO BASE AND MERIDIAN, IN THE COUNTY OF SAN DIEGO, STATE OF CALIFORNIA, ACCORDING TO THE OFFICIAL PLAT THEREOF.

#### **BASIS OF BEARINGS**

THE BASIS OF BEARINGS FOR THIS SURVEY IS THE CALIFORNIA COORDINATE SYSTEM ZONE 6, GRID BEARING BETWEEN STATION 5109 AND STATION 4022 PER R.O.S. NO. 14841, I.E., N 27°32'13" E.

QUOTED BEARINGS FROM REFERENCE MAPS OR DEEDS MAY OR MAY NOT BE IN TERMS OF SAID SYSTEM.

THE COMBINED SCALE FACTOR AT STATION 5109 IS 1.00001936 CONVERGENCE ANGLE AT STATION 5109 IS -00°22'21" GRID DISTANCE = GROUND DISTANCE X COMBINED SCALE FACTOR

#### **BENCHMARK**

BRASS DISC IN STREET COURSELINE WELL MONUMENT COURSELINE INTERSECTION OF OTAY MESA ROAD AND ALTA ROAD.

DATUM: NGVD '29

ELEVATION = 619.86

SITE ADDRESS:

SOUTHEAST OF THE INTERSECTION OF ALTA ROAD AND OTAY MESA ROAD

SAN DIEGO, CA 92154

#### ZONING

	ZONE	
USE F	REGULATIONS	S-88
ANIMA	AL REGULATIONS	D
	DENSITY	
DEVELOPMENT REGULATIONS	LOT SIZE	30,000 SF
	BUILDING TYPE	W
₩ ii	MAX. BUILDING COVERAGE	0.4
	FLOOR AREA RATIO	0.4
	HEIGHT	60'
RE DE	LOT COVERAGE	0.40
	SETBACK	٧
	OPEN SPACE	

### SETBACKS (SPECIFIC TO EVOC)

ZONE	
OTAY MESA ROAD (FROM R/W)	20'
SR-11 (FROM R/W)	25'
INTERIOR SIDE YARD	15'
REAR YARD SETBACK	0'
SPECIAL AREA REGULATIONS	В

#### **OWNER:**

KEARNY REAL ESTATE COMPANY JOHN V. BRAGG, JR., PARTNER 402 W BROADWAY, SUITE #180 SAN DIEGO, CA 92101 (619) 702-8130

# **APPLICANT:**

COUNTY OF SAN DIEGO DEPARTMENT OF GENERAL SERVICES, PROJECT MANAGEMENT DIVISION TOM HOERSTMAN, CAPITAL PROJECTS MANAGER 5560 OVERLAND AVE. SUITE #410 SAN DIEGO, CA 92123 (858) 694-3989

# PLANNER/ENGINEER


MICHAEL BAKER INTERNATIONAL STEVE WRAGG 9755 CLAIREMONT MESA BLVD. SAN DIEGO, CA. 92124 (858) 614-5000


# TRACK DESIGN

TRACKPLAN.NET LLC BILL HOWARD TUCSON, AZ. 85742 (520) 572-2448

# SHEET INDEX


SHEET 1 - TITLE SHEET SHEET 2 - PLOT PLAN SHEET 3 - ELEVATIONS & DETAILS





32' STREET GRID

10'




### **EMERGENCY VEHICLE OPERATIONS COURSE OTAY MESA ROAD**

COUNTY OF SAN DIEGO, CA MAJOR USE PERMIT PROJECT NO. PDS2017-MUP-17-019 ENVIRONMENTAL LOG NO. PDS2017-ER-93-19-006ZZC TITLE SHEET


FEBRUARY 5, 2018

SHEET 1 OF 3 Michael Baker San Diego, CA 92124
Phone: (858) 614-5000 Phone: (858) 614-5000 INTERNATIONAL MBAKERINTL.COM



# EMERGENCY VEHICLE OPERATIONS COURSE OTAY MESA ROAD

COUNTY OF SAN DIEGO, CA
MAJOR USE PERMIT
PROJECT NO. PDS2017-MUP-17-019
ENVIRONMENTAL LOG NO. PDS2017-ER-93-19-006ZZC



-SEE PLAN FOR WIDTH-

∕−FIN. GRADE

POLE GATE DETAIL

N.T.S.

EMERGENCY VEHICLE

OPERATIONS COURSE

EARTHTONE / NATURAL CMU BLOCK WALL

THE EOMSP.

WITH FLAGSTONE FACING (OR EQUIVALENT)

**ENTRY MONUMENT SIGN** 

SCALE: NTS

AND LANDSCAPE UPLIGHTING PURSUANT TO

—10'O.C. TYPICAL——

**ELEVATION** 

CHAINLINK FENCING

N.T.S.

8' VINYL COATED CHAIN-LINKED FENCE

SECTION

PLASTIC SLATS

GRADE

COUNTY OF SAN DIEGO, CA
MAJOR USE PERMIT
PROJECT NO. PDS2017-MUP-17-019
ENVIRONMENTAL LOG NO. PDS2017-ER-93-19-006ZZC
ELEVATIONS & DETAILS

SHEET 3 OF 3
FEBRUARY 5, 2018

Michael Baker
INTERNATIONAL

9755 Clairemont Mesa Blvd.
San Diego, CA 92124
Phone: (858) 614-5000
MBAKERINTL.COM

PROP. ACCESS DRIVE LIGHT (PRIVATE)

N.T.S.

**EMERGENCY VEHICLE** 

OPERATIONS COURSE

OTAY MESA ROAD